PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treat/WIPO P

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		· · · · · · · · · · · · · · · · · · ·						
P24486PC	FOR FURTHER ACTION See Form PCT/IPEA/416							
International application No.	International filing date (de	ay/month/year)	Priority date (day/month/year)					
PCT/NO2004/000359	24.11.2004		27.11.2003					
International Patent Classification (IPC) o	International Patent Classification (IPC) or national classification and IPC							
See Supplemental Box								
Applicant								
AGR SUBSEA AS et al								
This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.								
2. This REPORT consists of a total of	of 5sheets, i	including this cover	sheet.					
3. This report is also accompanied b	y ANNEXES, comprising:							
a. Sent to the applicant	and to the International But	reau) a total of 2	sheets, as follows:					
sheets of the description, claims and/or drawings which have been amended and are the basis of this report								
	containing rectifications aut	thorized by this Aut	thority (see Rule 70.16 and Section 607 of the					
			ty considers contain an amendment that goes					
beyond the di Supplementa		application as filed	l, as indicated in item 4 of Box No. I and the					
b. (sent to the Internation	• •	· · ·	umber of electronic carrier(s))					
form only, as indicate			and/or tables related thereto, in electronic ce Listing (see Section 802 of the					
Administrative Instru	ictions).							
4. This report contains indications re	elating to the following items	s:						
Box No. I Basis o	f the report							
Box No. II Priority	,							
Box No. III Non-es	tablishment of opinion with	regard to novelty, i	nventive step and industrial applicability					
Box No. IV Lack of	funity of invention		•					
	ed statement under Article 3 bility; citations and explanat		novelty, inventive step or industrial					
	documents cited	nons supporting suc	on statement					
Box No. VII Certain	defects in the international	application						
Box No. VIII Certain observations on the international application								
Date of submission of the demand	1,	Data of completion	o S Alica management					
Date of submission of the demand		Date of completion						
08.08.2005		24.11.2005						
Name and mailing address of the IPEA/SE		Authorized officer						
Patent- och registreringsverket								
S-102 42 STOCKHOLM Christer Bäcknert/MP								
Facsimile No. +46 8 667 72 88		Telephone No. +46 8 782 25 00						

International application No.

PCT/NO2004/000359

Supplemental Box						
In case the space in any of the preceding boxes is not sufficient. Continuation of: Cover sheet						
E21B 21/08 (2006.01)	!					

International application No.

PCT/NO2004/000359

Box	No. I	Basis of the report						
1.	1. With regard to the language, this report is based on:							
	the international application in the language in which it was filed							
	a translation of the international application into							
		which is the language of a translation furnished for the purposes of:						
		international search (Rules 12.3(a) and 23.1(b))						
		publication of the international application (Rule 12.4(a))						
international preliminary examination (Rules 55.2(a) and/or 55.3(a))								
2.	jurnisi	egard to the elements of the international application, this report is based on (replacement sheets which have be ed to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally file a not annexed to this report):						
		the international application as originally filed/furnished						
	\boxtimes	the description:						
		pages 1-6 as originally filed/furnished						
		pages* received by this Authority on						
	\square	pages* received by this Authority on the claims;						
		pages* as originally filed/furnished pages* as amended (together with any statement) under Article 19						
		pages* 1-2 received by this Authority on 08.08.2005						
	N 21	pages* received by this Authority on						
	\boxtimes	the drawings:						
		pages 1-2 as originally filed/furnished pages* received by this Authority on						
		pages* received by this Authority on						
		a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.						
3.		The amendments have resulted in the cancellation of:						
		the description, pages						
		the claims, Nos.						
		the drawings, sheets/figs						
		the sequence listing (specify):						
		any table(s) related to the sequence listing (specify):						
4. This report has been established as if (some of) the amendments annexed to this report and listed below had n made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Bo 70.2(c)).								
		the description, pages						
		the claims, Nos.						
	. the drawings, sheets/figs.							
		the sequence listing (specify):						
		any table(s) related to the sequence listing (specify):						
	If item 4 applies, some or all of those sheets may be marked "superseded."							

Form PCT/IPEA/409 (Box No. I) (April 2005)

International application No.

PCT/NO2004/000359

Во	x No. V	Reasoned statement u	nder Article : ions supporti	35(2) with regard to novelty, inventive ng such statement	step or industrial applicability;
1.	Statement	t			
	Nove	lty (N)	Claims Claims	1-5	YES NO
	Inven	tive step (IS)	Claims Claims	1-5	YES NO
	Indus	trial applicability (IA)	Claims Claims	1-5	YES NO
			-		

2. Citations and explanations (Rule 70.7)

Documents cited in the International Search Report:

D1: US4291772 A D2: GB2273948 A D3: WO03023181 A1

Document D1, which is considered to represent the most relevant state of the art, discloses method and apparatus to reduce the tension required on a riser pipe used in offshore drilling. Drilling fluid is circulated down a drill pipe through a drill bit and returned up the annulus between a drill string and the borehole wall. The prior art invention further provides a riser pipe from the wellhead, the riser being filled with a lightweight fluid on top of the drilling fluid in said annulus.

The subject-matter of claims 1 and 4 differs from this prior art in that it is intended to keep the downhole pressure substantially constant by keeping the level of the interface between the drilling fluid and the riser fluid is regulated by adjusting the inlet pressure of the pump.

The subject-matter of the claims therefore is novel.

The cited prior art does not give any indication that would lead a person skilled in the art to the claimed method and device for controlling drilling fluid pressure. Therefore, the

. . . / . . .

International application No.

PCT/NO2004/000359

Supplemental Box

In case the space in any of the preceding boxes is not sufficient. Continuation of: Box V

claimed invention is not obvious to a person skilled in the art.

Accordingly, the invention defined in claims 1- 5 is novel and is considered to involve an inventive step.

The invention is industrially applicable.

0 8 -08- 2005

Amended Claims

- A method of controlling drilling fluid pressure during 1. drilling offshore, where drilling fluid is pumped down into a borehole (15) and then flows back to a drilling rig (1) via the lined and/or unlined sections of the 5 borehole (15) and a liner (14), and where the drilling fluid pressure is controlled by utilizing a pump (20) to pump drilling fluid out of the liner (14) near the seabed, and where the annulus (30) of the liner (14) 10 above the drilling fluid is filled with a riser fluid having a density which is lower than that of the drilling fluid, characterized that level of the interface between the drilling fluid and the riser fluid is regulated by adjusting the inlet 15 pressure of the pump (20).
 - 2. A method in accordance with Claim 1, c h a r a c t e r i z e d i n that the volume of riser fluid flowing into and out of the annulus (30) is monitored.
- 20 3. A method in accordance with Claim 2, c h a r a c t e r i z e d i n that the volume of drilling fluid and riser fluid flowing into and out of the annulus (30) is compared with the drilling fluid volume being introduced into the borehole (15) via a drill string (16).
 - 4. A device for controlling drilling fluid pressure during drilling offshore, where drilling fluid is pumped down into a borehole (15) and then flows back to a drilling rig (1) via the lined and/or unlined sections of the borehole (15) and a liner (14), and where the drilling fluid pressure is controlled by utilizing a pump (20) to

P24486PCnc - 04.08.05

30

pump drilling fluid out of the liner (14) near the seabed, and where the annulus (30) of the liner (14) above the drilling fluid is filled with a riser fluid having a density which is lower than that of the drilling fluid, c h a r a c t e r i z e d i n that the inlet pressure of the pump (20) is adjustable.

5. A device in accordance with Claim 4,
c h a r a c t e r i z e d i n that the annulus
(30) communicates with a tank (26) on the drilling rig
(1) by means of a connecting pipe (28), the connecting
pipe (28) being fitted with volume measuring equipment.

P24486PCnc - 04.08.05

5

10